

TEST REPORT NO 916757/25/GDY

Client <b>OstroVit Sp. z o.o.</b> Sitarska 16 18-300 Zambrów		Sample (according to declaration of Client) Sample description: OstroVit MCT Oil 500ml Batch: MAS/0000149 Expiry date: 08.09.2028
Sample reception date:	19.11.2025	Sample status: no objections Sample number: 916757/25/GDY  Sample received from the Client
Start of analysis	25.11.2025	
End of analysis	25.11.2025	
Test report date	25.11.2025	

Test Method	Unit	Result	Criteria	Statement of conformity
* Content of elements <sup>1)</sup> PN-EN 15763:2010				
Lead (Pb)	mg/kg	< 0,010	≤ 0,10	Pass
Cadmium (Cd)	mg/kg	< 0,0010	-	-
Mercury (Hg)	mg/kg	< 0,0010	-	-

<sup>1)</sup> Commission Regulation (EU) 2023/915 of 25 April 2023, as amended, on maximum levels for certain contaminants in food and repealing Regulation (EC) No 1881/2006.

Authorized by:  
ID: 295, Analysis Expert, Spectrometry Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:  
Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received and tested. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the method. If an expanded measurement uncertainty is given for such a test outcome, it relates only to the lower or upper limit of the measuring range of the method, respectively. In the case where the Laboratory base on the obtained test outcome, "statement of conformity" column presents an opinion and interpretation. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl).

\* Test method accredited  
# Test performed by external provider

THE END OF THE REPORT