

TEST REPORT No.: Ł/0/04/2021/1679/M/C/2/EN
Customer: FITNESS TRADING Robert Szulborski 18-300 Zambrów, ul. Sitarska 16

Order No.: Ł/0/04/2021/1679

- A - accredited methodology (AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).
 AE - accredited methodology (AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).
 AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).
 MON - methodology accredited in terms of "OiB"
 GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)
 A/P - accredited methodology of the subcontractor
 P - non-accredited methodology of the subcontractor

Material/product tested:		Dietary supplements						
Sample collection address:		18-300 Zambrów, Sitarska 16						
Product name:		OstroVit INOSITOL SUPREME PURE					Date: 23.04.2021	
Producer:		no data						
Date of production:		no data						
Lot number:		2INO004 p; DMT: 06/01/2024						
Samples collected according to:						Sample receiver:		
Samples transported by: GBA POLSKA.						GBA POLSKA employee no.: 2087		
Sample no.: 22202/04/21		Sample evaluation: unreservedly		Analysis start date: 27-04-2021		Analysis end date: 04-05-2021		
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
Ł	Presence of Salmonella spp.	25g	AE	PN-EN ISO 6579-1:2017-04, PN-EN ISO 6579-1:2017-04/A1:2020-09	no requirements	not detected in 25g		
Ł	Total microbial count	cfu/g	AE	PN-EN ISO 4833-1:2013-12, PN-EN ISO 4833-1:2013-12/Ap1:2016-11	no requirements	<1,0 x 10 ⁴		
Ł	Presence of presumptive Escherichia coli	10g	AE	PN-ISO 7251:2006	no requirements	absent in 10g		
Ł	Count of yeasts and moulds	cfu/g	AE	PN-ISO 21527-2:2009	no requirements	<1,0 x 10 ⁴		
Ł	Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species)	1g	AE	PN-EN ISO 6888-3:2004, PN-EN ISO 6888-3:2004/AC:2005	no requirements	absent in 1g		
Ł	Presence of Listeria monocytogenes	25g	AE	PN-EN ISO 11290-1:2017-07	no requirements	not detected in 25g		

** - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires. The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range " or "> value of the upper limit of the measuring range", respectively. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. Moreover, in the case of these results, the conformity statement should be treated as an opinion and interpretation. The above-described procedure does not apply to biological tests. The results relate to the tested samples (sampled or received - as reported in the test report). In the case of samples provided by the customer, the information presented in the report regarding these samples is the information provided by the customer. The Laboratory is not responsible for this information or for the method of sampling and the representativeness of the samples provided by the customer for testing. The test report includes test results of the following number of samples: 1 pc(s) and without the written approval of the Laboratory shall not be reproduced except in full. Customer may file complains within 14 days from receiving the report. The Laboratory does not store the samples after testing, unless otherwise agreed with the customer. Place of performance of the tests (location codes): Ł - Łajski, L - Lublin, M - Mysłowice, PS - in situ measurement.


Remarks:

NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the original PDF file.

Report prepared in a single copy

The end of the Report

Original of PDF: Customer, copy of PDF to: Laboratory archive

Created on: 06-07-2022	Authorized by: GBA POLSKA employee no.: 2207	Approved by: Food specialist GBA POLSKA employee no.: 2550	Signed with a qualified electronic signature 
----------------------------------	--	--	--